

Form - IV  
(See rule 13)  
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Si. No.	Particulars	
1.	Particulars of the Occupier :	
	(i) Name of the authorised person (occupier or operator of facility) :	Mr. Abhijit Singh
	(ii) Name of HCF or CBMWTF :	Fortis Healthcare Limited
	(iii) Address for Correspondence :	Plot No. P-2, Sector - 5, IMT Manesar, Gurgaon
	(iv) Address of Facility :	Plot No. P-2, Sector - 5, IMT Manesar, Gurgaon
	(v) Tel. No, Fax. No	0124 433 1331
	(vi) E-mail ID	<a href="mailto:admin.manesar@fortishealthcare.com">admin.manesar@fortishealthcare.com</a>
	(vii) URL of Website	<a href="https://www.fortishealthcare.com/location/fortis-hospital-manesar-gurugram">https://www.fortishealthcare.com/location/fortis-hospital-manesar-gurugram</a>
	(viii) GPS coordinates of HCF or CBMWTF	28°22'0.11"N & 76°55'58.50"E
	(ix) Ownership of HCF or CBMWTF	Private Limited
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	Authorization No. BMW24GUSO77031562 Valid up to 30/09/2025
	(xi). Status of Consents under Water Act and Air Act	Valid up to 30/09/2025
2.	Type of Health Care Facility	
	(i) Bedded Hospital	No. of Beds: 140
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or	NA



*[Handwritten signature]*

	Veterinary Hospital or any other)				
	(iii) License number and its date of expiry	NA			
3.	Details of CBMWTF				
	(i) Number healthcare facilities covered by CBMWTF	NA			
	(ii) No of beds covered by CBMWTF	NA			
	(iii) Installed treatment and disposal capacity of CBMWTF:	00 Kg per day			
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	NA			
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yellow Category	124.06kg/mth		
		Red Category	250.06kg/mth		
		White Category	4.8kg/mth		
		Blue Category	57.2kg/mth		
		General Solid Waste	80kg/mth		
5.	Details of the Storage, treatment, transportation, processing and Disposal Facility				
	(i) Details of the on-site storage facility	Size: - 20 X 23			
		Capacity: - 800kg			
		Provision of on-site storage: (cold storage or any other provision)			
	(ii) Details of the treatment or disposal facilities	Type of treatment equipment	No of units	Capacity Kg/ day	Quantity treated or disposed in kg per annum
		Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or destroyer Sharps encapsulation or concrete pit Deep burial pits: Chemical disinfection: Any other treatment equipment:			
	iii) Quantity of recyclable wastes sold to	Red Category (like plastic, glass etc.) NA			



	authorized recyclers after treatment in kg per annum.		
	(iv) No of vehicles used for collection and transportation of biomedical waste	One	
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		Quantity generated Where disposed
		Incineration	NA
		Ash	NA
		ETP Sludge	
	(vi) Name of the Common Bio Medical Waste Treatment Facility Operator through which wastes are disposed of	Biotic Waste Limited	
	(vii) List of members HCF not handed over bio-medical waste.	NA	
6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	Its covered under HICC.	
7.	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management.	40	
	(ii) number of personnel trained	265	
	(iii) number of personnel trained at the time of induction	120	
	(iv) number of personnel not undergone any training so far	385	
	(v) whether standard manual for training is available?	Yes	
	(vi) any other information)	None	





8.	Details of the accident occurred during the year	
	(i) Number of Accidents occurred	None
	(ii) Number of the persons affected	None
	(iii) Remedial Action taken (Please attach details if any)	None
	(iv) Any Fatality occurred, details.	None
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	NA
	Details of Continuous online emission monitoring systems installed	NA
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	Liquid waste treatment method is in place, meeting all the std.
11.	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	Sterilization method is meeting the log 4., meeting all the std.
12.	Any other relevant information	(Air Pollution Control Devices attached with the Incinerator) NA

Certified that the above report is for the period from 01<sup>st</sup> April 2024 to 31<sup>st</sup> March 2025



Name and Signature of the Head of the Institution

Date: - 27<sup>th</sup> June 2025

Place: - IMT Manesar, Gurugram